

PUBLIC WORKS DEPARTMENT PROCUREMENT DIVISION

SOLICITATION NAME: Automotive and Equipment Parts

SOLICITATION NO.: IFB 26-FSD-001

DEADLINE: 3/5/2025

PROCUREMENT OFFICER: Crystal Ramirez

The following companies submitted bids for the above-referenced solicitation. This information is asread from the bid opening. The Public Works Department reserves the right to verify all bids received and any award recommendation will be made based on such review.

See attached

The City's Transparency Policy is an important component of the City's procurement process. The Policy restricts proposers from discussing matters associated with a solicitation with any City official or employee, other than the Procurement Officer designated in the solicitation, in any manner or forum other than a public meeting. Each solicitation issued by the City includes information about the Solicitation Transparency Policy, including instructions for requesting a meeting with any City official or employee through the referenced Procurement Officer.

If you have any questions about the subject solicitation, please contact the Procurement Officer listed above.

	BTE Body Com	pany, Inc.	Courtesy Aut	to of Mesa	Courtesy Chevro Corp		REIGI Auto of Mesa, LLC	Rodeo Ford	i, Inc.	Factory Motor P	arts	LZ Delta, LI	LC	Parts West Heavy dba Light House o		MPAKS SOLUTIO	ONS LLC.	Genuine Parts Corporat		Parts Authority L	LLC	Parts Mart, I	Inc.	J.B. Poindexter & Reading Truck Ed	quipment,	Don Sanderso		Freightliner of Arize DBA: Velocity Truck		Wastebuilt Environment		& Electric Sa Service, Inc.	
	Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark Discour Up (Not to exceed 30%) %	t Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark Up (Not to exceed 30%)		Allowable Mark Up (Not to exceed 30%)		Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark Up (Not to exceed 30%)	Discount Price %		iscount Price %		Discount Price %	Allowable Mark Up (Not to exceed 30%)		Allowable Mark Up (Not to exceed 30%)	Discount Price %	Allowable Mark I Up (Not to exceed 30%)	Discount Price %	Allowable Mark Discou Up (Not to exceed 30%) %		ble Mark Di Not to d 30%)	iscount Price %
3M											58%								55%														
A/C DELCO A1 CARDONE					10%					10%	60%					24%			50%			10%									_		50%
AICARDONE										25%	00 /8								50%														
ALCOA WHEELS										25%									3070										58%				
ALLISON										25%																			61%				
AMERICAN LAFRANCE AMFLO										25% 25%																			0%				_
AMFLO ANCHOR DOAN			-							23%	65%								15%														
ANCO WIPERS, ARMS, PUMPS & RESEVOIRS											70%								75%										61%				
ANCRA										25%															50%								
ARM LIFT										25%																							
ATWOOD AU-VE-CO					20%					25% 25%																							
AWECO					2070					25%																							
BALDWIN FILTERS										25%									55%		50%												
BCA / NATIONAL / MOOG BEARINGS, HUBS & SEALS											62%								55%			15%							61%				
BENDIX AUTOMOTIVE BRAKE PRODUCTS										25% 25%									55%										63% 63%				
BENDIX HD AIR BRAKE & VALVE PRODUCTS BMW - MOTORCYCLE PARTS										25%			11%			24%			55%										0370				
BOBCAT										25%			1170			24%			L														
BOSCH											70%					24%													58%				50%
BROOM BEAR SWEEPER				<u>↓ </u>						25%				└─────┤		24%			<u> </u>			F]						
										25% 25%																			61%				
BUSSMAN FUSES, CIRCUIT BREAKERS CARRIER ROOFTOP A/C UNITS			-							25%									+										01%				
CASE CONSTRUCTION										25%						24%																	
CATERPILLAR OFF-HIGHWAY										25%						24%																	
CATERPILLAR ON-HIGHWAY										25% 25%						24%													58%				
CHICAGO SEALS CHRYSLER, DODGE & RAM			8%							25%												10%							30 70				
CODE 3 VEHICLE SAFETY PRODUCTS			070	, 						25%			3%		28%							10%			28%				58%				
COLE-HERSEE											40%				25%										53%				61%				
COLEMAN ROOFTOP A/C UNITS										25%																							
CONTITECH AIR BAGS CRC INDUSTRIES										25%	60%			2104					45%										58%				
CUMMINS ENGINE CO.										25%				21%		24%			45%										54%				50%
DASH DESIGNS					20%					25%																20%							
DAYTON SPRING		42%	2							25%									0%														
DELPHI DENSO	0.00										57% 64%					0.49/			45%										58%				50%
DENSO DETROIT DIESEL	28%									25%	04 /0					24% 24%			40%										59%				50%
DEXTER										25%						2470			40%						50%								
DILL AIR CONTROLS										25%																			58%				
DONALDSON FILTRATION										25%	00%																		22%				
DORMAN / MOTORMITE EATON-WEATHERHEAD FITTINGS & TUBING										25%	62%								45%										60%				
ECCO ALARMS & WARNING LIGHTS										25%					18%				45%						43.5%				58%				
ELGIN SWEEPER										25%																							
EUCLID BRAKE PRODUCTS										25%																							
FEDERAL SIGNAL PUBLIC SAFETY SYSTEMS FEL-PRO										25%	65%				33%				55%			15%			24%								
FIRESTONE AIR BAGS										25%									50%			10%			45%				61%				
FLEETGUARD										25%																			29%				
FORCE 4										25% 25%						0.4%											<u> </u>		459/				
FORD MOTOR COMPANY FOUR SEASONS				<u> </u>				12%		25%						24%			50%			10%				10%	·		45%		_		
FREIGHTLINER										25%						24%			50%			├ ───┼							34%				
GATES HOSES, BELTS AND WATER PUMPS											60%								55%										61%				
GATES HYDRAULIC										25%									50%										61%				
GE LAMPS GENERAC										25% 25%									65%										58%				
GENERAL GENERAL MOTOR CORP			-		10%					25%						24%			+			10%											
GROTE					1070						45%				60%				60%			2070							64%				
GROVER										25%																			58%				
										25%									55%			└─── │							60%		_		
HALDEX BRAKE PRODUCTS HASTINGS FILTERS										25% 25%									60%										62%		_		
HASTINGS FILTERS HAYDEN COOLING PRODUCTS										25%									50%			15%							58%				
HELI-COIL										25%									55%														
HELLA LIGHTING AND ELECTRICAL										25%									55%										61%				
HENDRICKSON SUSPENSION PRODUCTS HONDA MOTORCYCLE				<u> </u>						25% 25%			0.001			24%													58%		_		
HONDA MOTORCYCLE HONDA POWER EQUIP				┼──┨						25%			22%			24%			+			├											
HONDA POWER EQUIP		17%								25%			3%			2.70			1										64%				
HOSE CLAMPS - GEAR, LINED, "T" BOLT & CONSTANT										25%																			58%				
TORQUE				↓						L								10%	ó			└─── │											
										25% 25%						24% 24%						┝───┼									_		
INGERSOL-RAND GENERATOR & COMPRESSOR INTERNATIONAL				<u> </u>						25%						24%			+			├			49%								
ISUZU					20%					25%						24%													56%				
JOHN DEERE CORP - AGRICULTURAL (GREEN)										25%						24%																	
JOHN DEERE CORP - CONSTRUCTION (YELLOW)										25%						24%																	
KAWASAKI				├ ──┃						25% 25%			22%			24% 24%			+			┝───┤											
KOHLER GENERATOR & ENGINE PARTS KRYLON PAINT PRODUCTS										25%						2470																	
KUBOTA										25%						24%																	

Norw Norw Norw	oo & Electric Sales & Service, Inc.		stebuilt Environmental		ghtliner of Ariz : Velocity Trucl		Don Sanderso	quipment,	I.B. Poindexter & Reading Truck E LLC		ts Mart, Inc	Parts	rity LLC	Parts Autho		Genuine Parts Corpora	IONS LLC.	MPAKS SOLUT		Parts West Heav dba Light House	LC	LZ Delta, LL	otor Parts	Factory Mot	, Inc.	Rodeo Ford	esa, LLC	REIGI Auto of M		Courtesy Chevro Corp	to of Mesa	Courtesy Aut	oany, Inc.	BTE Body Comp	
	able Mark (Not to ed 30%) Second	Up (No	p (Not to Price	Price	p (Not to	Price	Up (Not to	Price	Up (Not to	Price	(Not P ed	Mark Up (I to excee	Price	Up (Not to	Price	Up (Not to	Price	Up (Not to	Price	Up (Not to exceed	Price	Up (Not to exceed	d Price	(Not to exceed	Price	Up (Not to	Price	Jp (Not to exceed	Price	Up (Not to	Price	Up (Not to	Price	Up (Not to	
															45%																				
										_		_																							
				30%						_													70	237											
				58%						- 1			1		50%								<i>i</i> %	25'											
										_		_						24%				/													
				58%						-		-						24%				├ ───┤			\vdash										
				58%						-			<u> </u>		45%			247							\vdash										
				62%																															
				0.494						_		_										/		259											
				61%						-															\vdash										
												-			55%									25'											
											10%	1	i .	3%												10%									
				58%				43%		_		_			50%										$ \longrightarrow $										
		-		61%				61%			15%	1										; 		20%										29%	
															45%								5%											2070	/ PIG
											20%	2																15%							
		-		54%						-					-			24%																	
Martine Martine <t< td=""><td></td><td></td><td></td><td>61%</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td> </td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>				61%																															
																							5%	25%											IS MASTER
				619/				500/				_			ò	109									$ \longrightarrow $					15%					
International Internat								50%		-		-										, 		25%	\vdash										
NCC Second Second <td></td> <td>24%</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>25^r</td> <td></td>																		24%						25 ^r											
															45%																				
Prechar Second Seco				0%						-		-						249			110/				\vdash										
Dial all or product of product o				58%				43.5%		_								247			11%	++			\vdash										
NAME															ò	109							5%	25%											
best				58%									-			5%									$ \longrightarrow $					15%					
Normal	50%		50%	58%						-	15%	1						24%				++			\vdash										
bit bit< bit bit										_			<u> </u>		4376																				
Normal and series Normal and																																			
Normal And Bank Normal And										-		-			45%							├ ───┤			\vdash										
And										_	_											1			\vdash										
SANTECH NDUSTRIES 9				61%				42%																											HOLLAND
SALCO SALCO SAL								50%				_													$ \longrightarrow $										
SkF BARNAG 9 <td></td> <td>-</td> <td></td> <td>\vdash</td> <td></td>												-													\vdash										
PACTAR PREMIURIND SPC A				58%											50%																				
SPICER 1 <t< td=""><td></td><td></td><td></td><td>58%</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>/</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>				58%								_										/													
SPCE-RATON I<				58%						-		-													\vdash									20%	
SPLL CFA SPLL CFA SPL <																																		29%	
STANDARDWIRe & CABLE Image: Stand Property and Stand Propety and Stand Propety and Stand Propety and																								25°											LTECH
STANT Image: Constraint of the state						 -		60%		_									<u> </u>					·											
Stem Stem <th< td=""><td></td><td></td><td></td><td>58%</td><td></td><td></td><td></td><td></td><td></td><td>-</td><td>10%0</td><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>25'</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>				58%						-	10%0	1												25'											
																							5%	25%											1CO
		_																																	
SUZUKI-MOTORCYCLE 100 <td></td> <td></td> <td></td> <td>58%</td> <td></td> <td> -</td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td>┼──┨</td> <td></td> <td>10%</td> <td>,</td> <td></td> <td>25%</td> <td></td> <td></td> <td>├ - </td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>				58%		-				-					-				┼──┨		10%	, 		25%			├ -								
STANDALAND'S BULES Image: Control of the standard s				0070				24%							1				33%					25'							1				
TECHTIRE REPAIR Image: Second sec																																			H TIRE REPAIR
Image: Second		-		599/		F						_													l III		<u> </u>								
TIMEN Image: Comparison of the compa				36%						-					45%																				
TOYOTA IN A REAL OF A																		24%					5%	25%											
TACTON/TWD H.D. TRUCK PARTS A															45%																				
TRUCKLITE Image: Constraint of the state of the st		-						4504							-				67%																
Unitability Image: Constraint of the second se																																			
VICTOR GASKETS 1																							5%	25%											OR GASKETS
WACKER/NEUSON Image: State of the sta											450/				000					0					\square										
WAGNER LAMPS & BULBS Image: Constraint of the second s						-				-	15%	1							,	28%															
WAYNE MFG CO															0070								5%	25%											
WEATHERHEAD EATON Image: Constraint of the second sec				61%											50%																				THERHEAD EATON
WEATHERECH Image: Constraint of the second seco				62%		 -					15%	1							┼──┨								├ 								
WEBB WHEEL Image: Constraint of the system of								29%											<u> </u>		3%														
WIX FILTERS Image: State of the state											15%	% 1	50%		79%																				